



<https://www.biodiversitylibrary.org/>

Hortus suburbanus Londinensis, or, A catalogue of plants cultivated in the neighborhood of London : arranged according to the Linnean system, with the addition of the natural orders to which they belong, references to books where they are described, their native places of growth, when introduced, time of flowering, and reference to figures

London, Printed for James Ridgway, 1818

<https://www.biodiversitylibrary.org/bibliography/109914>

Item: <https://www.biodiversitylibrary.org/item/192383>

Page(s): Title Page, Page 107

Holding Institution: Smithsonian Libraries and Archives

Sponsored by: Biodiversity Heritage Library

Generated 25 March 2024 1:14 PM

<https://www.biodiversitylibrary.org/pdf4/1684862i00192383.pdf>

This page intentionally left blank.

Hortus Suburbanus Londinensis :

OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE NEIGHBOURHOOD OF LONDON;

ARRANGED ACCORDING TO

THE LINNEAN SYSTEM:

WITH THE ADDITION OF THE

Natural Orders to which they belong, References to Books where they are described, their native Places of Growth, when introduced, Time of Flowering, and Reference to Figures.

— BY ROBERT SWEET, F. L. S. —

London:

PRINTED FOR JAMES RIDGWAY, 170, PICCADILLY.

1818.

9 cereiformis. W.	naked.	Euphorbiæ. J.	C. B. S.	1731. 6.7. D.S. h.	Burm. afr. t. 9. f. 3.
10 officinarum. W.	officinal.	_____	Africa.	1597. —— D.S. h.	Plant. grass. 7 ^o .
11 polygona. H. S.	many-angled.	_____	C. B. S.	1790. 7.9. D.S. h.	
12 neriifolia. W.	Oleander-leaved.	_____	India.	1690. 6.7. D.S. h.	Plant. grass. 46.
13 Hystrix. W.	Porcupine.	_____	C. B. S.	1695. 6.8. D.S. h.	Jac. schœn. 2. t. 207.
14 varians. H. S.	variable-stemm'd.	_____	E. Ind.	1800. . . . D.S. h.	
15 grandifolia. H. S.	great-leaved.	_____	Sierra Leone.	1798. . . . D.S. h.	
16 cucumerina. W.	Cucumber-like.	_____	C. B. S. D.S. h.	Vail. it. t. 5.
17 meloformis. W.	Melon-like.	_____	_____	1774. 5.9. D.S. h.	Bot. rep. 617.
18 Caput-medusæ. W.	{ Great Medusa's Head. }	_____	Africa.	1731. 8. G. h.	Com. præl. t. 7.
19 tessellata. H. S.	Chequer'd M. Hd.	_____	_____	1788. —— G. h.	
20 fructuspina. H. S.	Small M. Head.	_____	C. B. S.	1731. —— G. h.	Plant. grass. 150.
21 procumbens. H. S.	Least M. Head.	_____	_____	1768. —— G. h.	Burm. afr. t. 10. f. 1.
22 patula. H. S.	spreading.	_____	_____	— G. h.	
23 anacantha. W.	scaly.	_____	_____	1727. 9.10. G. h.	Plant. grass. 144. 2520
24 clava. W.	club.	_____	_____	1774. 3.8. G. h.	Jac. ic. 1. t. 85.
25 bupleurifolia. W.	cone-shaped.	_____	_____	1791. 6.7. D.S. h.	Jac. schœn. 1. t. 106.
26 mauritanica. W.	Barbary.	_____	Africa.	1732. 6.8. G. h.	Dill. elt. t. 289. f. 373
27 Lamarckii.	Lamarck's.	_____	_____	1808. . . . G. h.	
mauritanica. Lam.	virgata. P. S.	_____	_____	_____	
28 hamata. H. S.	hooked.	_____	C. B. S.	1795. . . . G. h.	Burm. afr. t. 6. f. 3.
29 Ornithopus. W. en.	Bird's-foot.	_____	_____	1816. 6.8. G. h.	Jac. frag. t. 120.
30 aphylla. W. en.	leafless.	_____	Teneriffe.	1815. —— G. h.	
31 balsamifera. W.	Balsam.	_____	Canaries.	1779. . . . G. h.	
32 Tirucalli. W.	Indian Tree.	_____	India.	1690. . . . D.S. h.	Rheed. mal. 2. t. 44.
33 atropurpurea. W. en.	dark purple.	_____	Teneriffe.	1815. . . . G. h.	
34 piscatoria. W.	smooth spear-lea ^d .	_____	Canaries.	1777. . . . G. h.	
35 bracteata. H. S.	bracteated.	_____	_____	1809. . . . S. h.	Jac. schœn. 2. t. 276.
36 pendula. H. S.	pendulous.	_____	_____	1808. . . . D.S. h.	
37 Tithymaloides. W.	Myrtle-leaved.	_____	S. America.	1699. 6.7. D.S. h.	Herm. par. 234.
38 padifolia. H. S.	Laurel-leaved.	_____	_____	— D.S. h.	Dil. elt. t. 298. f. 372. R765
39 cordellata. H. S.	small heart-lea ^d .	_____	_____	1795. . . . D.S. h.	
40 heterophylla. W.	various-leaved.	_____	W. Ind.	1690. 4.9. S. h.	Plum. ic. t. 251. f. 3
41 dendroides. W.	tree-like.	_____	Italy.	1768. . . . H. h.	
42 cyathophora. W.	coloured.	_____	S. America.	1806. 7.8. S. h.	Jac. ic. 3. t. 480.
43 repanda. H. S.	waved.	_____	E. Ind.	1808. 8. S. ♂.	
44 biglandulosa. H. S.	twin-glanded.	_____	Is. Bourbon.	9. S. h.	
45 nudiflora. Jac.	naked-flowered.	_____	_____	1800. 8. S. h.	Jac. ic. 3. t. 470.
46 cotinifolia. W.	Cotinus-leaved.	_____	S. America.	1690. 7.8. S. h.	Com. hort. 1. t. 15.
47 petiolaris. H. K.	long-stalked.	_____	W. Ind.	1800. 5.6. D.S. h.	Bot. mag. 883.
48 mellifera. W.	honey-bearing.	_____	Madeira.	1784. 4.5. G. h.	— 1305.
49 linalifolia. W.	Toad-flax-leaved	_____	_____	1794. . . . S. h.	Jac. ic. 1. t. 86.
50 variegata. B. M.	pye-balled.	_____	Louisiana.	1811. 9. H. ♂.	Bot. mag. 1747.
51 prunifolia. H. K.	Plum-leaved.	_____	_____	1799. 6.7. G. ♂.	Jac. schœn. 3. t. 277.
52 ocymoidea. W.	Basil-leaved.	_____	S. America.	1733. 6.8. S. ♂.	
53 dentata. Ph.	toothed.	_____	N. America.	1806. 6.7. H. ♂.	
54 hypericifolia. W.	Hypericum-lea ^d .	_____	America.	1727. 6.9. H. ♂.	Com. præl. t. 10.
55 Humboldtii. W. en.	Humboldt's.	_____	S. America.	1809. 7.10. S. ♀.	
56 prostrata. W.	trailing red.	_____	W. Ind.	1758. —— S. ♂.	
57 rosea. W.	rosy.	_____	E. Ind.	1808. 8. S. ♂.	
58 maculata. W.	spotted.	_____	S. America.	1660. 7. H. ♂.	Jac. vind. 2. t. 186.
59 picta. W.	painted.	_____	_____	1789. 5.7. S. ♀.	Jac. ic. 3. t. 477.
60 pilulifera. W.	globular.	_____	E. Ind.	1800. 6.8. S. ♀.	— 3. t. 478.
61 hyssopifolia. W.	Hyssop-leaved.	_____	W. Ind.	1787. 8.9. S. ♂.	
62 thymifolia. W.	Thyme-leaved.	_____	India.	1699. 7.8. S. ♂.	Pluk. alm. t. 113. f. 2.
63 Chamaesyce. W.	scollop-leaved.	_____	S. Europe.	1752. —— H. ♂.	Moris. s. 10. t. 2. f. 19.
64 Peplis. W.	purple.	_____	England. —— H. ♂.	Eng. bot. 2002.
65 polygonifolia. W.	Knot-grass-lea ^d .	_____	N. America.	1704. 6.7. H. ♂.	Jac. col. s. t. 13. f. 3.
66 Ipecacuanhæ. Ph.	Ipecacuanha.	_____	_____	1812. —— H. ♀.	Bot. mag. 1494.
67 Peplus. W.	petty.	_____	Britain. 7.8. H. ♂.	Eng. bot. 959.
68 falcata. W.	sickle-leaved.	_____	S. Europe.	1699. 6.8. H. ♂.	Jac. aust. 2. t. 121.
69 exigua. W.	dwarf.	_____	Britain. 7. H. ♂.	Eng. bot. 1336.
70 minima. H. S.	least.	_____	_____	1800. 7.9. H. ♂.	
71 micrantha. W.	small-flowered.	_____	Persia.	1803. —— H. ♂.	
72 tuberosa. W.	tuberous.	_____	Ethiopia.	1800. 10.12. G. h.	Burm. afr. 9. t. 4.
73 Lathyris. W.	Caper.	_____	England. 5.10. H. ♂.	Eng. bot. 2253.
74 valentina. P. S.	Spanish.	_____	Spain.	1804. 7.8. H. ♂.	
75 diffusa. W.	diffuse.	_____	Austria.	1798. —— H. ♂.	Jac. ic. 1. t. 88.
76 Apios. W.	Pear-rooted.	_____	Candia.	1596. 6.7. H. ♀.	

The following text is generated from uncorrected OCR or manual transcriptions.

[Begin Page: Title Page]

tortus g)utiurijanus Eontitnensts ;
OR,
A CATALOGUE OF PLANTS
CULTIVATED IN
\ - I
THE NEIGHBOURHOOD OF LONDON;
ARRANGED ACCORDING TO
THE LINNEAN SYSTEM :
WITH THE ADDITION OF THE
Natural Orders to which they belong , References to Books where they are described ' 9
their native Places of Growth, when introduced , Time of Flowering ,
and Reference to Figures .
— BY ROBERT SWEET, F.L. S. —
JLontooiu
PRINTED FOR JAMES RIDGWAY, 170 , PICCADILLY,
1818 ,

[Begin Page: Page 107]

- 9 cereiformis. W.
- 10 officinarum. W.
- 11 polygona. H. S.
- 12 nerifolia. W.
- 13 Hystrix. W.
- 14 varians. H. S.
- 15 grandifolia, II. S.
- 16' cucumeritia. W.
- 17 nieloformis. W.
- 18 Caput-med*sae. W.
- 19 tessellata. H. S.
- 20 fructuspina. H. S.
- 21 procumbens. H. S.
- 22 patula. H. S.
- 23 anacantha. W.
- 24 clava. W.
- 25 bupleurifolia. W.
- 26 mauritanica. W.
- 27 Lamarckii.
mauritanica. Lam.
- 28 hamata. H. S.
- 29 Ornithopus. W. en.
- '30 Sibylla. W. en.
- 31 balsamifera. W.
- 32 'irucalli. W.
- 33 atropurpurea.W.en.
- 34 piscatoria. W.
- 35 bracteata. H. S.
- 36 pendula. H. S.
- 37 Titliymaloides. W.

38 padifolia. H. S.
39 cordellata. II. S.
40 heterophylla. W.
41 dendroides. W.
42 cyathophora. W.
43 repanda. H. S.

44 biglandulosa. H. S.
45 nudiflora. Jac.
46 cotinifolia. W.
47 petio laris. H, K.
48 mellifera. W.
49 linalifolia. W.
50 variegata. B. M.
51 prunifolia. H. K.

52 ocymoidea. W.
53 dentata. Ph.
54 hyperieifolia. W.
55 Humboldtii. W. en.
56 prostrata. W.
67 rosea. W.

58 maculata. W,
59 picta. W.
60 pilulifera. W.
Cl hyssopifolia. W.
62 thymifolia. W.
63 Chamaesyce. W.

64 Peplis. W.
65 polygonifolia. W.
66 Ipecacuanhse. Ph.
67 Peplus. W.
68 falcata. W.
69 exigua. W.

70 minima. H. S.
71 micrantha.W.
72 tuberosa. W.
73 Latbyris. W.
74 valentine. P. 8,
75 dift'usa. W.
76 Apios. W.

DODECANDItXA TRIGYNIA.

1731. 6.7. D.S. I*.

1597. D.S. ^ •

1790. 7-9. D.S. T? •

1690. 6.7. D.S. \i .

1695. 6.8. D.S. I*.

1800. . . . D.S. ^ .

1798. ... D.S. Ji .

D S. h .

1774. 5.9. D.S. ij.

1731. 8. G.J*.

1788. -7 G. .

1731. G.J*.

1768. G. \i .

spreading. • — — vr. ^ .

scaly. — — - — 1727. 9-10. G. \ .

club. — * — 1774. 3.8. G. .

cone-shaped. * 1 791. 6.7. D.S. ^ .

Barbary. — Africa. 1732. 6.8. G. ^•
Lamarck's. — — — — — 1808 G. ij.
virgata. P. S,
hooked. — — C. B. S. 1795 G. .
Bird's-foot. — 1816. 6.8. G. 1^ .
leafless. Tenerife. 1815. G. \|. .
Balsam. Canaries. 1779 G. \|. .
Indian Tree. India. 1 690. . . . D.S. Tj .
dark purple. — Teneriffe. 1815 G. •
smooth spear-l rt . t r — Canaries. 1777 G. 1^ .
bracteated. ? 1 809 S. I -> .
pendulous. 1808. ...D.S.}?.
Myrtle-leaved. S. America. 1699. 6.7. D.S.]?.
Laurel-leaved. D.S.}?.
small heart-lea 11 , 1795. . . . D.S.]?.
various-leaved. W. Ind. 16*90. 4.9. S.J??.
tree-like. . Italy. 1768 H.I??.
coloured. S. America. 1806. 7.8. S. •
waved. E. Ind. 1808. 8. S. \$.
twin-glanded. Is. Bourbon. 9. S.I??.
naked-flowered. — 7 1800. 8. S. 1? .
Cotinus-leaved. S. America. 1690. 7.8. S. 1? .
long-stalked. W. Ind. 1 800. 5.6.D.S. }?.
honey-bearing. — 7 — Madeira. 1784. 4.5. G. }?.
Toad-flax-leaved — — 1794 S.I??.
pye-balled. Louisiana. 1811. 9. H.0.
Plum-leaved. 1799. 6.7. G. \$.
Basil-leaved. — — — S. America. 1733. 6.8. S.0.
toothed. N. America. 1806. 6.7. H.Q.
Hypericum -lea d . — — - America. 1727. 6.9. H. ©.
Humboldt's. - — — — S. America. 1809. 7.10. S. 2/..
trailing red. VV. Ind. 1758. S.0.
rosy. E. Ind. 1808. 8. S.0.
spotted. * S. America. 1660. 7. H.0.
painted. 1789. 5.7. S.ty.
globular. E. Ind. 1800. 6.8. S. If..
Hyssop-leaved. — W. Ind. 1787- 8.9. S.0.
Thyme-leaved. India. 1699. 7.8. S.0.
scollop-leaved. — S. Europe. 1752. H.0.
purple. England. H.0.
Knot-grass-lea d . — — » N. America. 1704. 6.7. H.0.
Ipecacuanha. 1812. — — H.2}?.
petty. -rr-T Britain. 7.8. H.0.
sickle-leaved. — - S. Europe. 1699. 6.8. H.0.
dwarf. : Britain. 7. H.0.
least. * ... 1800. 7.9. H.0.
small-flowered. Persia. 1803. H.0.
tuberous. Ethiopia. 1800. 10.12.G. T? .
Caper. -England 5.10. H. S .
Spanish. Spain. 1804. 7.8. H.0.
diffuse. — — Austria. 1798. H.0.
Pear-rooted, — > > — Candia. 15.96. 6.7. H.2},
P 2
naked,
officinal,
many-angled. —
Oleander-leaved. — *

Porcupine.
variable-stemm'd.
great-leaved. — —
Cucumber-like. — —
Melon-like. - —
f GreatMedu- 1 _____
(sa's Head, J
Chequer'd M. Hd.
Small M. Head. —
Least M. Head. -- —
Euphorbiae. J. C. B. S.
Africa.
C. B. S.
India.
C. B. S.
E. Ind.
SierraLeone.
C. B.S.
Africa,
C. B. S.
107
Burm. afr. t. 9.f. 3.
Plant, grass. T ~ .
Plant, grass. 46.
Jac.schccn.2.t.207.
Vail. it. t. 5.
Bot. rep. 617.
Com. prael. t. 7.
Plant, grass. 150.
Burm. afr. t.l Of. 1.
Plant, grass. 144
Jac. ic. 1 . t. 85.
Jac.schnnen.l.t.H)6.
Dill. elt.t.289.f.373
Burm. afr. t. 6. f. 3.
Jac. frag. 1. 120.
Rheed.mal.2. t.44,
Jacschoen.2. t.276.
Herm. par. 234.
Dil_elt.t.298.f.372.
Plum. ic. t.25l. f.3
Jac. ic. 3. t. 480.
Jac. ic. 3. t. 470.
Com. hort. 1. 1. 15.
Bot. mag. 883.
1305.
Jac. ic. 1. 1. 86.
Bot. mag. 1747.
Jac.schoen.3.t.277.
Com. prael. t. 10,
Jac. vind. 2. t. 186.
Jac. ic. 3. t. 477.
— 3. t. 478.
Pluk.alm.t.j 1 3.f.2.
Moris.s.l 0.t.2.f.l 9.
Eng. bot. 2002.
Jac. col. s.t.13. f.3.

Bot. mag. 1494.
Eng. bot. 959.
Jac. aust. 2. t. 121.
Eng. bot. 1336.
Burm. afr. 9. t. 4,
Eng. bot. 2255.
Jac. ic. 1. 1. 88=.