



<https://www.biodiversitylibrary.org/>

**Supplementum plantarum Systematis vegetabilium
editionis decimae tertiae, Generum plantarum editionis
sextae, et Specierum plantarum editionis secunda**

Brunsvigae, Impensis Orphanotropei, 1781

<https://www.biodiversitylibrary.org/bibliography/555>

Item: <https://www.biodiversitylibrary.org/item/10321>

Page(s): Page 346

Holding Institution: Missouri Botanical Garden, Peter H. Raven Library
Sponsored by: Missouri Botanical Garden

Generated 29 March 2024 12:48 PM

<https://www.biodiversitylibrary.org/pdf4/1686207i00010321.pdf>

This page intentionally left blank.

reflexum, HYPERICUM floribus trigynis, foliis sessilibus lanceolatis approximatis reflexis, ramis tomentosis, panicula terminali.

Habitat in Barrancas Americæ. *Franc. Masson.* ʒ.
Frutex maior, ramis divaricatis: ultimis foliosis, tomentosis.

Folia integerrima, reflexa, incumbentia, perforata, margine nigro-punctata.

Panicula rotundata.

Bractæe Calycesque subulatae.

Corolla lutea.

SYNGENESIA.

POLYGAMIA ÆQUALIS.

fruticofus.

SONCHUS fruticosus, glaberrimus, foliis elongatis lanceolatis sinuatis subpetiolatis, umbellis subtomentosis involuocratis, calycibus squarrosis glaberrimis.

Habitat in rupibus altis sylvarum Maderæ. *Masson.* ʒ.
Similis S. palustris.

Caulis crassus, spongiosus.

Folia approximata, pedalia, lanceolata, profunde sinuata, in petiolum margine tenuiori decurrentia, supra viridia, subtus glauca, utrinque glaberrima.

Umbellæ terminales, sæpe compositæ.

Involucrum & Involucella polyphylla: foliis ovatis, recurvis.

Pedicelli versus florem tomentosi & foliolis squamosi.

Flores Taraxaci, lutei, at pappus non plumosus s. stipitatus.

Calyx patulus, imbricatus: squamis laxis, apice subrecurvis.

tuberosus.

SONCHUS foliis inferioribus runcinatis, superioribus sagittatis.

Sonchus tuberosus. *Syst. veg. ed. 13. p. 594.* ubi una eademque bis occurrit.

Habitat in Tartaria,

H. U.

Similis S. tartarico,

Radix carnosa, repens.

Caulis

The following text is generated from uncorrected OCR or manual transcriptions.

[Begin Page: Page 346]

di POLYADELPHIA.- Polyandris -
Frutex maior, ramis divaricatis: ultimis foliifis, to- to-
Folia. integerrima, Toisaa incumbentia, perforata,
POLYGAMIA ÆQUALIS.
SONC HUS fruticosus, glaberrimus, foliis elonga-
tis lanceatis finuatis ! — , umbellis fub-
rima,
S Umbellæ terminales, fzpe compofitz.
` Involucrum. & | Involucella polyphylla : foliis na |
cepa P- FeCUrViS. j
> pecie verfus florem tomentofi & foliolis | T
Fue REA | RU