



<https://www.biodiversitylibrary.org/>

Autikon botanikon :or botanical illustrations of 2500. New, rare or beautiful Trees, Shrubs, Plants, Vines, Lilies, Grasses, Ferns...

Philadelphia, 1815-1840

<https://www.biodiversitylibrary.org/bibliography/232>

Item: <https://www.biodiversitylibrary.org/item/6306>

Page(s): Illustration, Title Page, Page [1], Page 158

Holding Institution: Missouri Botanical Garden, Peter H. Raven Library
Sponsored by: Missouri Botanical Garden

Generated 26 December 2024 9:18 AM

<https://www.biodiversitylibrary.org/pdf4/1761567i00006306.pdf>

This page intentionally left blank.

Qt 98
R32
1815-40
C.2

AUTIKON BOTANIKON

OR

BOTANICAL ILLUSTRATIONS,

OF 2500

New, rare or beautiful Trees, Shrubs, Plants, Vines, Lilies, Grasses, Ferns &c, of all regions, but chiefly North America, with descriptions &c and 2500 self figures or specimens.

BY PROF. C. S. RAFINESQUE.

**FIRST PART--CENTURIES I to V.
TEXT OF 500 OBJECTS & ARTICLES.**

PHILADELPHIA.

1815-1840.

Text of each part of 500 objects, 50 cents.
500 Figures belonging thereto ; 50 dollars.

AUTIKON BOTANIKON.

Icones Plantarum Select. Nov. vel Rariorum,
plerumque Americana, interdum African.
Europ. Asiat. Oceanic. &c.

CENTUR. XXV.

BOTANICAL ILLUSTRATIONS

by Select Specimens or Self-figures in
25 Centuries of 2500

Plants, Trees, Shrubs, Vines, Lilies, Grasses,
Ferns &c, chiefly new or rare, doubtful or in-
teresting, from North America and some other
regions; with accounts of the undescribed, notes,
synonyms, localities &c.

In 5 parts of 5 Centuries each of text with
25 Volumes folio of Self-figures.

BY C. S. RAFINESQUE,

*Prof. of Botany, the Historical and Nat-
ural Sciences, member of many learned So-
cieties in America and Europe, author of
many botanical and other works &c.*

FIRST PART, CENT. I to V.

(The best botanical figures are the objects themselves.)

PHILADELPHIA.

Collected, ascertained and described between

1815 & 1840.

of *Cymbalaria*, flowers of *Termontis*, several blended sp.

Probatea grandiflora Raf. Antir. asarina L. *Orontium* do Pers. *Asarina cordifolia* Moench—villosa, fol. renif, vel. cord. crenatis, pedunc. pet. brevior, calicib. lanceol.—Helvetia, very rare, flowers very large white, lips purple, some 2 inches long. †

1166, *Probatea lobata* Raf. pubescens, fol. subrot. vel dilat. basi subrenif. lobatis, lobis dentatis acutis ciliatis, pedunc. pet. eq. calicib. linearib—Siberia, leaves large ultra uncial, flowers small, less than one inch, incarnate or purplish. †

1167, **MISOPATES** Raf. diff. Antirh. cal. digitatus lateralis, cor. basi gibbosa, apice hians, caps. obliq. ovata gibbosa, apice biporosa, poris semivalvatis vel 3dent. *fol. alt. sessil. fl axil.*—blended by authors with *Termontis*, altho' unlike in habit &c.

Misopates orontium Raf. Antirh. do L. *Orontium arvense* Pers.—Europe and boreal America? leaves linear lanceol. fl. subspicate subsess. calix very unequal linear, capsule hirsute &c.

1168, **TERMONTIS** Raf. *Orontium* Pers. non L. *Antirrhinum* W. Dec. Those who adopt the *Linaria* of old, commonly retain the *Antirrhinum* for this, Persoon unfortunately employed the name of *Orontium*! belonging to another G. *Termontis* is an old Grecian name of the very plant, and all my N. G. of this group have similar classical names.

Termontis racemosa Raf. Antirh. majus L. Dec. *Orontium* do Pers. Europe, leaves lanceol. obt. fl. racemose. pedicels longer than bracts, flowers purple.

The following text is generated from uncorrected OCR or manual transcriptions.

[Begin Page: Illustration, Title Page]

F
:
AUTIKON BOTANIKON #
OR :
BOTANICAL ILLUSTRATIONS, i
Aes
OF 2500
New. rare or beautiful Trees, Shrubs, Plants,
Vines, Lilies, Grasses, Ferns &c, of all regions,
but chiefly North America, with descriptions dc
and 2500 self figures or specimens.
:
:
:
BY PROF. C. S, RAFINESQUE.
TEXT OF 500 OBJECTS 4 ARTICLES.
=
FIRST PART--CENTURIES I to V. :
kaa
kl
PHILADELPHIA.
Text of each part of 500 objects, 50 cents.
500 Figures belonging thereto ; 50 dollars.
HAA AAA
d
Wossoum BOTA NICA
GarRoEN Lierast

[Begin Page: Page [1]]

AUTIKON BOTANIKON.
Icones Plantarum Select. Nov. vel Rariorum,
plerumque Americana, interdum African.
Europ. Asiat. Oceanic. &c.
CENTUR. XXV.
nmm
BOTANICAL ILLUSTRATIONS
by Select Specimens or Selffigures in
25 Centuries of 2500
Plants, Trees, Shrubs, Vines, Lilies, Grasses,
Ferns &c, chiefly new or rare, doubtful or in-
teresting, from North America and some other
regions; with accounts of the undescribed, notes,
synonyms, localities &c.
In 5 parts of 5 Centuries each of text with
25 Volumes folio of Self-figures.
BY C. S. RAFINESQUE,
Prof. of Botany, the Historical and Nat-
ural Sciences, member of many learned So-

cieties in America and Europe, author of many botanical and other works &c.
FIRST PART, CENT. I to V.
(The best botanical figures are the objects themselves.)
PHILADELPHIA.
Collected, ascertained and described between 1815 & 1840.

[Begin Page: Page 158]

158 AUT. BOT.
of *Cymbalaria*, flowers of *Termontis*, several blended sp.
Probatea grandiflora Raf. Antir. asarina
L. *Orontium* do Pers. *Asarina cordifolia* Moench
—*villosa*, fol. renif, vel. cord. crenatis, pedunc. pet. brevior, calicib. lanceol.—*Helvetia*, very rare, flowers very large white, lips purple, some 2 inches long. t
1166, *Probatea lobata* Raf. *pubescens*, fol. subrot, vel dilat. basi subrenif. lobatis, lobis dentatis acutis ciliatis, pedunc. pet. eq. calicib. linearib—*Siberia*, leaves large ultra uncial, flowers small, less than one inch, incarnate or purplish. +
1167, *MISOPATES* Raf. diff. Antirh. cal. *digitatus lateralis*, cor. basi gibbosa, apice hians, caps. obliq. ovata gibbosa, apice biporosa, poris semivalvatis vel 3dent. fol. alt. sessil. fl axil.
—blended by authors with *Fermoniis*, altho' unlike in habit &c.
Misopates orontium Raf. Antirh. do L.
Orontium arvense Pers.—*Europe* and boreal *America*? leaves linear lanceol. fl. subspicate subsess. calix very unequal linear, capsule hirsute &c.
1168, *TERMONTIS* Raf. *Orontium* Pers.
non L. *Antirhinum* W. Dec. 'Those who adopt the *Linaria* of old, commonly retain the *Antirhinum* for this, *Persoon* unfortunately employed the name of *Orontium*! belonging to another *G. Termontis* is an old Grecian name of the very plant, and all my N.G. of this group have similar classical names. |
Termontis racemosa Raf. Antirh. majus L.
Dec. *Orontium* do Pers. *Europe*. leaves lanceol. obt. fl. racemose. pedicels longer than bracts, flowers purple.