



<https://www.biodiversitylibrary.org/>

**Botanische Jahrbücher für Systematik,
Pflanzengeschichte und Pflanzengeographie**
Stuttgart [etc.], Schweizerbart [etc.],
<https://www.biodiversitylibrary.org/bibliography/60>

Bd.9 (1888): <https://www.biodiversitylibrary.org/item/668>

Page(s): Page 162

Holding Institution: Missouri Botanical Garden, Peter H. Raven Library
Sponsored by: Missouri Botanical Garden

Generated 18 November 2023 2:30 AM
<https://www.biodiversitylibrary.org/pdf4/1642330i00000668.pdf>

This page intentionally left blank.

459.	<i>Sempervivum</i> (<i>Aizoon</i> Bolle Bonpl. 1859).	T III
460.	<i>Monanthes ictericum</i> (<i>Petrophyes uti sequentia</i> Wbb. Bourg. 1458)	G II
461.	" <i>agriostaphys</i> (Wbb. Phyt.)	II
462.	" <i>polyphyllum</i> (Wbb. Phyt.)	T II
463.	" <i>pallens</i> (Wbb. Syn.)	G
464.	" <i>purpurascens</i> (Bolle et Wbb. Bonpl. 1859).	C
465.	" <i>murale</i> (Wbb. Bourg. I, 269)	H
466.	" <i>microbotrys</i> (Bolle et Wbb. Bonpl. 1859)	F
467.	" <i>brachycaulon</i> (Wbb. Phyt.)	II
468.	" <i>tilophilum</i> (Bolle Bonpl. 1859)	C II
469.	" (<i>minimum</i> Bolle eod.)	T
470.	<i>Grammanthes Heylandianum</i> Wbb. Syn. (<i>Umbilicus</i> Wbb. Phyt.)	C II

Rosaceae.

471.	<i>Bencomia caudata</i> Wbb. Phyt.	T II
472.*	" <i>moquiniana</i> Wbb. Phyt.	T (Made.) II
473.	<i>Rubus Bollei</i> Focke in Abh. Naturw. Ver. Brem. IX, 405 . . .	P II
474.	" <i>canariensis</i> Focke eod. 406	T II

Leguminosae.

475.	<i>Anagyris latifolia</i> Brouss.	T I
476.	<i>Adenocarpus viscosus</i> Wbb. Phyt.	II et III
	v. <i>spartioides</i> Wbb. Phyt.	P II
477.	" <i>foliolosus</i> Ait.	II
	v. <i>glabrescens</i> Wbb. Phyt.	II
478.	<i>Cytisus prolifer</i> L. fil.	II et III
	v. <i>palmensis</i> n. v.	P
	v. <i>Canariae</i> n. v.	C
479.	" <i>albidus</i> D C.	?
480.*	" <i>stenopetalus</i> (<i>Teline</i> Wbb. Phyt.). . .	P H (Gorgad.) II
481.	<i>Spartocytisus supranubius</i> (<i>Spartium</i> L. fil.)	T III
482.	" <i>filipes</i> Wbb. Phyt.	
483.	<i>Genista candicans</i> L. v. <i>subspicata</i> Wbb. Phyt.	II
484.	" <i>canariensis</i> L.	T II
485.	" <i>ramosissima</i> Wbb. Phyt.	T II
	v. <i>discolor</i> Wbb. Bot. mag. 1845	II
486.	" <i>Spachiana</i> Wbb. Bot. mag. 1845	T II
487.	" <i>Hillebrandii</i> sp. nov.	C II
488.	" <i>congesta</i> Link	C II
489.	" <i>rosmarinifolia</i> Wbb. Phyt.	C II
490.	" <i>linifolia</i> L. v. <i>latifolia</i> Wbb. Phyt.	P II
491.	<i>Retama rhodorizoides</i> Wbb. Ann. 1843	P I
492.	" <i>microcarpa</i> Spach.	L I
493.	" <i>Spachii</i> Wbb. Ann. 1843	T mer. I