



<https://www.biodiversitylibrary.org/>

**Hortus Kewensis, or, A catalogue of the plants cultivated
in the Royal Botanic Garden at Kew**

London, Printed for George Nicol, Bookseller to his Majesty, 1789
<https://www.biodiversitylibrary.org/bibliography/4504>

v.1: <https://www.biodiversitylibrary.org/item/23432>

Page(s): Illustration, Title Page, Page 263, Page 264, Page 265

Holding Institution: Missouri Botanical Garden, Peter H. Raven Library
Sponsored by: Missouri Botanical Garden

Generated 10 April 2024 12:02 PM
<https://www.biodiversitylibrary.org/pdf4/1689461i00023432.pdf>

This page intentionally left blank.

Rare Book
QK 73
G 73
K 48
1789
V. 1
A...
HORTUS KEWENSIS;

OR, A

C A T A L O G U E

OF THE

P L A N T S

CULTIVATED IN THE

ROYAL BOTANIC GARDEN AT KEW.

BY *WILLIAM AITON*,

GARDENER TO

HIS MAJESTY.

IN THREE VOLUMES.

V O L. I.

MONANDRIA — HEPTANDRIA.

L O N D O N:

PRINTED FOR GEORGE NICOL, BOOKSELLER
TO HIS MAJESTY, PALL MALL.

M. DCC. LXXXIX.

1789

MISSOURI BOTANICAL
GARDEN LIBRARY

Cult. 1711, by the Dutcheſs of Beaufort. *Br. Muſ.*
H. S. 141. *fol.* 39.
Fl. July. *S. h.*

R H A M N U S. *Gen. pl.* 265.

Cal. tubuloſus: ſquamis ſtamina munientibus. *Cor.*
 nulla. *Bacca.*

* *Spinofi.*

1. *R. spinis terminalibus, floribus quadrifidis dioicis, foliis ovatis, caule erecto. Syst. veget.* 232. *catharticus.*
 Purging Buckthorn.
Nat. of England.
Fl. May and June. *H. h.*
2. *R. spinis terminalibus, floribus quadrifidis dioicis, caulibus procumbentibus. Linn. mant.* 49. *infeſlorius.*
 Dwarf, or Yellow-berried Buckthorn.
Nat. of the South of Europe.
Cult. 1683, by Mr. James Sutherland. *Sutherl. hort. edin.* 291. *n.* 3.
Fl. June and July. *H. h.*
3. *R. spinis terminalibus, foliis oblongis integerrimis. Sp. pl.* 279. *Oleoides.*
 Olive-leav'd Rhamnus.
Nat. of Spain.
Introd. 1786, by Caſimir Gomez Ortega, M. D.
Fl. *G. H. h.*
4. *R. ramulis spinescens, floribus quadrifidis trifidisve dioicis, foliis oblongis obtuse ferratis sempervirentibus.* *crenulatus.*
 Teneriffe Rhamnus.

Nat. of the Island of Teneriffe. Mr. Francis Masson.

Introd. 1778.

Fl. March.

G. H. h.

saxatilis. 5. R. spinis terminalibus, floribus quadrifidis dioicis, foliis oblongis ferratis glabris annuis.

Rhamnus saxatilis. *Sp. pl.* 1671. *Jacqu. austr.* 1. p. 33. t. 53.

Rock Buckthorn.

Nat. of Switzerland, Austria, and Italy.

Introd. 1775, by the Doctors Pitcairn and Fothergill.

Fl. May and June.

H. h.

** *Inermes.*

colubri-
mus. 6. R. inermis, floribus monogynis hermaphroditis erectis, capsulis tricoccis, petiolis ferrugineo-tomentosis.

Syst. veget. 233. *Jacqu. hort.* 3. p. 28. t. 50.

Pubescent Rhamnus, or Red-wood.

Nat. of the Bahama Islands.

Introd. 1726, by Mr. Mark Catesby. *Mill. dict. edit.*

8. Ceanothus arborescens.

Fl. June.

S. h.

volubilis. 7. R. inermis, floribus monogynis hermaphroditis, foliis oblongo-ovatis nervosis subundulatis, caule volubili.

Rhamnus volubilis. *Linn. suppl.* 152.

Twining Rhamnus.

Nat. of Carolina.

Cult. 1714, by the Dutchess of Beaufort. *Br. Mus.*

H. S. 133. fol. 13.

Fl. June and July.

H. h.

Frangu-
la. 8. R. inermis, floribus monogynis hermaphroditis umbellatis axillaribus, calycibus glabris, foliis ovatis integerrimis lineatis.

Rhamnus Frangula. *Sp. pl.* 280.

Berry-

Berry-bearing Alder.

Nat. of England.

Fl. April and May.

H. 2.

9. R. inermis, floribus monogynis hermaphroditis, calycibus villosis, foliis ellipticis integerrimis. *L'Herit. fert. angl. n. 4. tab. 8.* *latifolius.*

Azorian Rhamnus.

Nat. of the Azores. Mr. Francis Masson.

Introd. 1778.

Fl. July.

H. 2.

10. R. inermis, floribus hermaphroditis racemosis, foliis ovatis obtuse ferratis glabris basi glandulosis. *glandulosus.*

Madeira Rhamnus.

Nat. of Madeira and of the Canary Islands. Mr. Francis Masson.

Introd. 1785.

Fl.

G. H. 2.

11. R. inermis, floribus hermaphroditis subtrigynis axillaribus subumbellatis, foliis ellipticis acutis integerrimis subtus villosiusculis. *ellipticus.*

Rhamnus arborescens minor, foliis ovatis venosis, pedunculis umbellulatis alaribus, fructibus sphaericis.

Brown. jam. 172. t. 29. f. 2.

Oval-leav'd Rhamnus.

Nat. of Jamaica.

Cult. 1758, by Mr. Philip Miller.

Fl. August.

S. 2.

12. R. inermis, floribus polygamis, stylo subtriplici, foliis ovatis ferratis. *L'Herit. fert. angl. n. 5. tab. 9.* *Prinoides.*

Celtis foliis subrotundis dentatis, flore viridi, fructu luteo. *Burm. afr. 242. tab. 88.*

Prinos-

The following text is generated from uncorrected OCR or manual transcriptions.

[Begin Page: Illustration, Title Page]

at ei "See *, fs a ' ' . a
z A . * ae . ;
: ¥ wae ee a. ' ie
- HORTUS KEWE
OR, A
4 so : : ' — Z "
BY WALLIEM ALT OR ¢
GARDENER TO
Pe SEIS MAJESTY, —
ee
I N THR EE vo L
MAJESTY, PALL MALL,
Eeeae, an : en -
Cyt F aie
ae Bos *] *
i
Missour: POTANIGAL
GaR@PN LiBR@RY

[Begin Page: Page 263]

PENTANDRIA MONOGYNIA 4
--Gult. 1711, by the Dutchefs of Beaufort. Br. Mu Mf
H.S. 141. fal. 39. ; .
+ Z)
RHAMNUS, Gen. pl. 265.
Cal. tubulofus: fquamis ftamina munientibus, Cor.
nulla. Bacca.
* § pinot. .
1, R. fpinis terminalibus, floribus quadrifidis dioicis, fo-
_ liis ovatis, caule erecto. Sy/f. veget. 232.
Purging Buckthorn,
Nat. of England.
Fl, May and June. 7 seen:
2. R, {pinis terminalibus, floribus quadrifidis dioicis, cau-
libus procumbentibus. "Linn, mant. 49.
- Dwarf, or Yellow-berried Buckthorn,
Nat. of the South ot Europe.
Cult, 1683, by Mr. James Sutherland, Sutherl. hort.
edin, 291. 7. 3.
Fi, June and July. = SY
3 R. fpinis terminalibus, foliis oblongis integerrimis.'
Sp. pl. 279.
Olive-leav'd Rhamnus,
Nat. of Spain.
_ Antrad. 1786, by Cafimir Gomez fae M.D.
]. G.H.b.
4- R. ramulis fpinefcentibus, foribus quadrifidis trifidifve
* dioicis, foliis obiongis obtule fertatis femperviren-

_ tibus, ;
Teneriffe Rhamnus,
x: "3 Nat.
963
cathartie ©
CUS»
infeBlorin
us»
Oleoides.

[Begin Page: Page 264]

264 -« PRNTANDRIA MONOGYNIA. Rhamnus. a
Nat. of the Ifland of Teneriffe. Mr. Francis Mafin,
Intro. 1778, ag |
epeMarck: - Gite.
fexatilis. 5. R. fpinis terminalibus, floribus quadrifidis dicitis, fo-
| : liis ablongis ferratis glabris annuis. e
Rhamnus faxatilis. Sp. pl. 1671. Facgu. eae ee
P+ 33+ t 53+
Rock Buckthorn.
Nat. of Switzerland, Auftria, and Italy.
» Intro. 1775, by the Doétors Pitcairn and F oshergll: :
Fl, May and June. Hehe
ou ** Tnermes.
calubri- 6, R. inermis, floribus monogynis hermaphroditis ereC=
nus.
tis, capfulis tricoccis, petiolis ferrugineo-tomentolis.
Syft. veget. 233. Facqu. hort. 3, p. 28. t 50
Pubefcent Rhamnus, or Red-wood.
Nat. of the Bahama Jflands.
Intro. 1726, by Mr. Mark Catefby. Mi II, ditt. edit.
8. Ceanothus arborefcens.
Fl, June. , 8. h
wolubilis, J» R inermis, floribus monogynis hermaphroditis, als
oblongo-ovatis nervofis fubundulatis, caule vol
Rhamous volubilis, Linn. fuppl. 152-
Twining Rhamnus.
Nat. of Carolina.
Cult. 1714, by the Dutchefts of Beaufort. . Br. oo
H.-S. 133. fol. 13.
Fi, June and July.
i rang- 8. R. i inermis, floribus monogynis cnetel umbel- |
latis axillaribus, calycibus glabris, foltis ovatis ea
tegerrimis lineatis. ep
Rhamnus F : \$ c
us Frangula. Sp. = 280 Berty-

[Begin Page: Page 265]

/
PENTANDRIA MONOGYNIA. Rhamnus. ~
Berry-bearing Alder.

Nat. of England.

i, April and May. H. h.

. g. R. inermis, foribus monogynis hermaphroditis, caly-
cibus villofis, foliis ellipticis integerrimis. ZL' Herit.

"fert. angl. n. 4. tab. 8.

Azorian Rhamnus.

Nat. of the Azores. Mr. Francis Maffon.

Intro. 1778.

Fi. July. H. he

10.R, inermis, floribus hermaphroditis racemofis, foliis
ovatis obtufe ferratis glabris bafi glandulofis,

- Madeira Rhamnus.

Nat. of Madeira and of the Canary Iflands, Mr.

_ Francis Maffen.

Intro. 1785.

Fi, G. H. kh.

11.R, inermis, floribus hermaphroditis fubtrigynis axil-
laribus fubumbellatis, fotiis ellipticis acutis inte-
gerrimis fubtus villofiufculis.

~ Rhamnus arborefcens minor, foliis ovatis vee 1S, pe-
dunculis umbellulatis alaribus, fructibus fphiericis.

Brown. jam. 172. t. 29. fe 2»

Oval-leav'd Rhamnus.

Nat. of Jamaica.

Cult, 1758, by Mr. Philip Miller. :

fi, ge vent: 7 S. b.

12, Ri inermite, floribus polygamis, ftylo fubtriplici, foliis

_ Ovatis ferratis. L'Herit. fert. angl. n. §. tab. 9.

lati foli~

ellipticus.

'Pitta

es.

Celtis foliis fubrotundis dentatis, flore viridi, fru@tu »

luteo. Burm. afr. 242. tab. 88. ;

* Prinos-