



<https://www.biodiversitylibrary.org/>

**Caroli Linnaei ... Species plantarum :exhibentes plantas
rite cognitas, ad genera relatas, cum differentiis specificis,
nominibus trivialibus, synonymis selectis, locis natalibus,
secundum systema sexuale digestas...**

Holmiae, Impensis Laurentii Salvii, 1753

<https://www.biodiversitylibrary.org/bibliography/669>

vol. 1: <https://www.biodiversitylibrary.org/item/13829>

Page(s): Title Page, Page 336

Holding Institution: Missouri Botanical Garden, Peter H. Raven Library

Sponsored by: Missouri Botanical Garden

Generated 11 April 2024 9:06 AM

<https://www.biodiversitylibrary.org/pdf4/1690738i00013829.pdf>

This page intentionally left blank.

CAROLI LINNÆI

S:Æ R:GIÆ M:TIS SVECIAE ARCHIATRI; MEDIC. & BOTAN.
PROFESS. UPSAL; EQUITIS AUR. DE STELLA POLARI;
nec non ACAD. IMPER. MONSPEL. BEROL. TOLOS.
UPSAL. STOCKH. SOC. & PARIS. CORESP.

SPECIES
PLANTARUM,

EXHIBENTES
PLANTAS RITE COGNITAS,

AD
GENERALATAS,
CUM

DIFFERENTIIS SPECIFICIS,
NOMINIBUS TRIVIALIBUS,
SYNONYMIS SELECTIS,
LOCIS NATALIBUS,

SECUNDUM

SYSTEMA SEXUALE
DIGESTAS.

TOMUS I.

Cum Privilegio S. R. M:tis Sueciae & S. R. M:tis Polonicae ac Electoris Saxon.

HOLMIAE,
IMPENSIS LAURENTII SALVII.
1753.

*Lapathum involucro seminis dentato, foliis obtusis ora
crispula.* *Hall. helv.* 172.

*Lapathum sylvestre, folio subrotundo, seminis involu-
cris dentatis.* *Moris. hist.* 2. p. 580.

Lapathum folio minus acuto. *Baub. pin.* III.

Lapathum vulgare, folio obtuso. I. B. *Raj. hist.* 175.

Lapathum. *Cam. epit.* 228.

Habitat in Germania, Helvetia, Gallia, Anglia. 2

* *Hermafroditi: valvulis granulo destitutis s. nudis.*

12. RUMEX floribus hermaphroditis, foliis lyratis. *Guett.
stamp* 1. p. 7.

*Lapathum ramis procumbentibus, seminis involucro den-
tato, foliis inferioribus instar fidium.* *Moris. hist.* 2.
p. 580.

Lapathum pulchrum bononiense sinuatum. *Baub. hist.*
2. p. 988. *Raj. hist.* 1. p. 174.

Habitat in Gallia, Italia, Veronæ.

*bucephalo-
phorus.*

*13. RUMEX floribus hermaphroditis; valvulis dentatis
nudis planis reflexis.* *Hort. ups.* 90.

*Rumex fructibus dentatis calyce reflexis, caput bovinum.
referentibus.* *Hort. cliff.* 139.

Acetosa, ocymi folio, neapolitana. *Baub. pin.* 114.

Acetosa, ocymi folio, bucephalophorus. *Col. ecphr.* 1.
p. 151, t. 150.

Habitat in Italia. ①

aquaticus.

*14. RUMEX floribus hermaphroditis: valvulis integerri-
mis nudis, foliis cordatis.*

Lapathum aquaticum, folio cubitali. *Baub. pin.* 116.

Lapathum palustre. *Tabern. ic.* 437.

Hippolapathum. *Dalech. hist.* 604. *Cam. epit.* 232.

Herba britannica. *Munt. brit.* t. 1.

Habitat in Europa ad ripas fluviorum & paludum. 2

Lunaria.

*15. RUMEX floribus hermaphroditis: valvulis lœvibus,
caule arboreo, foliis subcordatis.* *Vir. cliff.* 32. *Hort.
cliff.* 139. *Roy. lugdb.* 320.

Acetosa arborescens, subrotundo folio. *Pluk. alm.* 8.
t. 252. f. 3.

Lunaria magorum arabum. *Baub. hist.* 2. p. 994?

Habitat in Canariis. 5

vescarius.

*16. RUMEX floribus hermaphroditis geminatis: valvu-
larum alis maximis membranaceis reflexis, foliis indi-
visis.* *Hort. cliff.* 130. *Hort. ups.* 90. *Roy. lugdb.* 230.

Ace-

The following text is generated from uncorrected OCR or manual transcriptions.

[Begin Page: Title Page]

CAROLI LINNZEI

S: R:crg. M:ris Sveciæ AncuiaTRI; Mzapic.: & BorAx,
Paorrss. UPsAr; EQUITIS AUR. DE STELLA Porani;
nec non AcaD. IMPER. MowsprEr. BERor. Toros.
U»rsar. STOCKH.: Soc. & PARIS. CORESP.

SPECIES
PLANTARUM,

EXHIBENTES
PLANTAS RITE COGNITAS,

AD
GENERA RELATAS,
CUM
DirrFRENTIIS SPrcIFICIS,
NowiNIBUS TRIVIALIBUS,

SYNONYMIS SELECTIS,

Locis NaraLIBUs,
SECUNDUM

„SYSTEMA SEXUALE

DIGESTAS.
Towus I

Cum Privilégio S. R. Mtis Suecie 3? S. R. Mtis. Polonice ac Eletloris. Saxon,
«TON SN MT S NANASI — DIT ININ m ^

HOLMIÆ,
lureNSiS LAURENTII SALVII.

[Begin Page: Page 336]

:334 . .HEXANDRIA TRIGYNIA.

Lapathum involucro feminis dentato, foliis! obtufi\$ ora
crifpula, | Hall... belv. 372. A PAL
~ Lapathum fylveftre, folio fubrotundo, feminis involu- |
cris dentatis. JMorzf. bif. us \$580. 15i
Lapathum folio minus acuto. Bash. i III. f
Lapathum vulgare, folio obtuso. 1.-B. Raj. bif. 175.

Lapathum: Cane: epit;/228.- q5 meal 3
Habitat in Gerania; Helvetia; Gallia; Anglia. Y. 1

*. Hermaphrodit: valvulis granula deflitutis f. nudis,
priche. — 12: RUMEX floribus hermaphroditis, foliis lytatis; Guelt. |

s

flamp Ey fi Subs diez PR AN \$
Lapathum ramis procumbentibus; feminis involucro den- |
*-^t2to; As inferioribus intar fidium. /Mor;f. bf. 2. |
p:j49oss 05 | i d
^^ Lapathum pulchrum bononiente finuatum. Bab. bif |
2. p. 988. Raj. hift. I. pe 174.. MSS |
Habitat im Gallia, Italia; Verona. EErEE RIRA
bucephalo- 13. R'UMEX- floribus hertnáphrodits; valvulis dentatis 1
porus, nudis planis reflexis, Hort. wpf. 9054... 7.
Rumex fruétabus dentatis calyce reflexis, caput bovinum.
"referentibus; Aor. cliff. 349.5 9 0 teo i
Acetola, ocymi folio, neapolitana; Baa. ia.. LI4.
Acetofa, ocymi folio; bucephaloplioros. Col. ecphr. I
P ISL: ta ISO. idet Eurum 4MUS o1
Habitat ia Italia. O jao

LN

\$
vJ

aquaticus. 14. RUMEX floribus EEr valvulis integétri- |
mis nudis, foliis cordatis. ^ ^ Id
apathum aquaticum, folio cubita. Bauh. piñ: 116.
Lapathum paluftre; "l'aberz. ic. 437. das. a
C Hippolapathum. Dalecb. kift. 604. Cam. epit. 232.
Herba britannica. Munt. brit. f. 1. 7 ANo
Habitat in Europa ad ripas futiorum E piludum. u
Lunaria 1\$. RUMEX floribus hermaphroditis: valvulis levibus, |
| caule arboreo, foliis fubcordatis. Pir. cliff. 32. Hort.
cliff: 139. Roy. II&gdh. 320. I3 te 1
Acetofa arbore cens, fübtrotundo folio. Ptak. al». 8.
to 252.17 3. EE UI My P ENS
Lunaria magorum, arabum. . Baz. dift, 2 2:994?
Habitat in Canariis. b MD T
veficarins, 16. RUMEX floribus hermaphroditis geminatis: valvu- -
larumalis maximis membranaceis reticxis, "foliis indi-
A | Vilis, Hort, cliff. 150. Hort. upf. 90. Rejitha .
Lo I

T
A