



<https://www.biodiversitylibrary.org/>

**Supplementum plantarum Systematis vegetabilium  
editionis decimae tertiae, Generum plantarum editionis  
sextae, et Specierum plantarum editionis secunda**

Brunsvigae, Impensis Orphanotropei, 1781

<https://www.biodiversitylibrary.org/bibliography/555>

**Item:** <https://www.biodiversitylibrary.org/item/10321>

Page(s): Title Page, Page 232

Holding Institution: Missouri Botanical Garden, Peter H. Raven Library  
Sponsored by: Missouri Botanical Garden

Generated 11 April 2024 11:24 AM

<https://www.biodiversitylibrary.org/pdf4/1690765i00010321.pdf>

This page intentionally left blank.

C 574. (13)

Linnaeus  
QK 41  
C 574  
1781

# SUPPLEMENTUM PLANTARUM

SYSTEMATIS VEGETABILIIUM

*Editionis decimæ tertice,*

GENERUM PLANTARUM

*Editionis sextæ,*

et

SPECIERUM PLANTARUM

*Editionis secundæ.*

Editum

A

CAROLO a LINNÉ,

Med. Doct.

Med. & Botan. Prof. Upsal.

Hort. Botan. Præf.

---

BRUNSVIGÆ,  
Impensis Orphanotrophei,

1781.

MISSOURI  
BOTANICAL  
GARDEN.

- bractea-*  
*ta.* CASSIA foliis decemiugis oblongis obtusis eglandu-  
latis, racemis elongatis, bracteis ovatis tumidis im-  
bricatis, legumine quadrangulari compresso.  
*Habitat* in Surinamo. *C. G. Dalberg.*  
*Folia* plus quam pedalia, octo - s. decemiuga.  
*Foliola* palmaria, linearia, apice rotundata, subtus  
mollia, cana.  
*Petiolus* compressus, inter paria canaliculatus.  
*Racemus* maximus, ex floribus dense congestis, inter  
bracteas ovatas, magnas, tumidas, imbricatas,  
nervosas, pubescentes, statim ante explicationem  
floris caducas.  
*Flores* lutei.  
*Rudimenta leguminum* erant incurva, compressa: an-  
gulis quatuor.
- Capensis.* DICTAMNUS foliis simplicibus, caule ramofo.  
*Habitat* ad Cap. bonæ spei. *Equ. Bäck.*  
Simillimus D. albo.  
*Folia* alterna, simplicia, foliolis D. albi simillima.  
*Racemus* ut in D. albo.
- albus.* DICTAMNUS foliis pinnatis, caule simplici.  
Dictamnus albus. *Syst. veg. cd. 13. p. 330.*
- pinnata.* RUTA foliis pinnatis triiugis: foliolis lanceolatis:  
impari ferrato, petalis planis subcrenulatis.  
*Habitat* in rupibus circa Puerto de la Orotava. *Fr.*  
*Masson.*  
*Caulis* ut in reliquis speciebus.  
*Folia* pinnata, triiuga cum impari.  
*Foliola lateralia* opposita, linearia, integra s. cre-  
nulata, punctata.  
*Foliolum impar* subovatum, ferratum.
- cordifo-*  
*lium.* ZYGOPHYLLUM foliis simplicibus oppositis cor-  
dato-orbiculatis.  
*Habitat* in Cap. bonæ spei. *Thunberg.*
- micro-*  
*phyllum.* ZYGOPHYLLUM foliolis ovalibus minutis, cap-  
sulis emarginatis.  
*Habitat* in Cap. bonæ spei. *D. Thunberg. h.*  
*Caulis* fruticosus, erectus: ramis sæpius alternis.  
*Folia* opposita, subpetiolata, coniugata: foliolis ova-  
libus, carnosiusculis, planis, lævibus.

The following text is generated from uncorrected OCR or manual transcriptions.

[Begin Page: Title Page]

SUPPLEMENTUM  
PLANTARUM  
SYSTEMATIS VEGETABILIIUM  
Editionis decime tertie,  
GENERUM PLANTARUM

\* . E

ERA us iini.

Editum

A

CAROLO a LINNÉ, `

Med. Dot,

Med, & Botan. Prof. Upfal,

Hort, Botan, Pref.

BRUNSVIG Æ,

]mpenfis Orphanotropei,

T7323 15

[Begin Page: Page 232]

232 DECANDRIA. Mon

braten- CASSIA foliis decemi eglandu-

là. | - . latis, racemis € bra&teis ovatis tumidis im-

bricatis, legumine quadrangulari pmp.

Habitat in Sutinama. C.

? Folia plus quam pedalia , oto - f.

E Foliola e linearia, apice rotundata, fubtus

~Petiolùs. comprefius , inter paria ipsilkblatus.

Racemus maximus, ex floribus denfe congeftis, inter

-bracteas ovatas, magnas, tumidas, imbricatas,

mervofas , pubeicentes, ftatim ante explicationem

pi floris caducas,

Fow lutei.

SE Rudimenta leguminum erant ineurva, comprefia: an-

gulis quatuor,

Capenfis. DICTAMNUS foliis fimplicibus,. caule ramofo,

Habitat ad Cap. bona fpei. Equ. Bäck.

Simillimus D. albo.

Folia alterna, fimplicia, foliolis D. albi fimillima,

, Facemus | üt in D. albo.

ANNUS foliis pinnatis, caule fimplici

a veg. ch ` 13. p. 330.

foliis riugi - foliolis lanceolatis :

| ere, petalis pla s fübcrenulatis. d

dii T rupibus circa Puerto de la iuam Fr.

ajfon.

Caulis ut in reliquis fpeciebus. :

Folia A triiuga cum impari. - :

oliola lateralìa d Lon e poets integra fo cre-

.. mulata, pun

Foliolum impar fubovatum, ferratum. -  
erdifo- ZYGOPHYLLUM foliis finplicibus profs cor-  
bum dato - orbi:

` . Habitat in Cap, bonze fpei, - Thunberg.

micros ZYGOPHYLLUM foliolis ovalibus minutis, cap-  
hum, , fülisemarginatis. — e

| Habitat in Cap. bonz fpei. J. Thunberg. 5.

Caulis fruticosus, erectus: ramis Sius alternis.

Folia oppofita, fübpetiolata, conii foliolis ova-  
libus, carnofiufculis, planis, la Pe.