



<https://www.biodiversitylibrary.org/>

**Hortus Kewensis, or, A catalogue of the plants cultivated
in the Royal Botanic Garden at Kew**

London, Printed for George Nicol, Bookseller to his Majesty, 1789
<https://www.biodiversitylibrary.org/bibliography/4504>

v.1: <https://www.biodiversitylibrary.org/item/23432>

Page(s): Illustration, Title Page, Page 252

Holding Institution: Missouri Botanical Garden, Peter H. Raven Library
Sponsored by: Missouri Botanical Garden

Generated 14 April 2024 10:29 AM
<https://www.biodiversitylibrary.org/pdf4/1691466i00023432.pdf>

This page intentionally left blank.

Rare Book
QK 73
G 73
K 48
1789
V. 1
A...
HORTUS KEWENSIS;

OR, A
C A T A L O G U E
OF THE
P L A N T S

CULTIVATED IN THE
ROYAL BOTANIC GARDEN AT KEW.

BY *WILLIAM AITON*,

GARDENER TO

HIS MAJESTY.

IN THREE VOLUMES.

V O L. I.

MONANDRIA — HEPTANDRIA.

L O N D O N:

PRINTED FOR GEORGE NICOL, BOOKSELLER
TO HIS MAJESTY, PALL MALL.

M. DCC. LXXXIX.

1789

MISSOURI BOTANICAL
GARDEN LIBRARY

Black-spin'd Nightshade.

Nat. of Africa.

Cult. 1731, by Mr. Philip Miller. *Mill. dict. edit. 1.*
n. 12.

Fl. June and July. G. H. h.

margina-
tum.

23. *S.* caule aculeato fruticoso, foliis cordatis repandis
margine albis. *Syst. veget.* 226. *L'Herit. solan.*
tab. 11. *Murray in commentat. gotting.* 1783. p. 11.
tab. 4. *Jacqu. ic. collect.* 1. p. 50.

White Nightshade.

Nat. of Africa. *James Bruce, Esq.*

Introd. 1775.

Fl. most part of the Summer.

G. H. h.

stramoni-
folium.

24. *S.* caule aculeato fruticoso, foliis cordatis angulato-
lobatis integris subinermibus subtus tomentosiuscu-
lis. *L'Herit. solan. tab.* 9.

Solanum stramonifolium. *Jacqu. ic. miscell.* 2. p. 298.

Broad-leav'd Nightshade.

Nat. of the West Indies.

Introd. 1778, by Messrs. Kennedy and Lee.

Fl. June—September.

S. h.

Vesperti-
lio.

25. *S.* caule aculeato fruticoso, foliis cordatis integris,
corollis subirregularibus, anthera ima productiore.
L'Herit. solan.

Canary Nightshade.

Nat. of the Canary Islands. *Mr. Francis Masson.*

Introd. 1779.

Fl. March and April.

G. H. h.

tomento-
sum.

26. *S.* caule aculeato fruticoso, aculeis acerofis, foliis cor-
datis inermibus subrepandis: tenellis purpureo-
pulverulentis. *Sp. pl.* 269.

Woolly

The following text is generated from uncorrected OCR or manual transcriptions.

[Begin Page: Illustration, Title Page]

at ei "See *, fs a ' ' . a
z A . * ae . ;
: ¥ wae ee a. ' ie
- HORTUS KEWE
OR, A
4 so : : ' — Z "
BY WALLIEM ALT OR ¢
GARDENER TO
Pe SEIS MAJESTY, —
ee
I N THR EE vo L
MAJESTY, PALL MALL,
Eeeaeene, an : en -
Cyt F aie
ae Bos *] *
i
Missour: POTANIGAL
GaR@PN LiBR@RY

[Begin Page: Page 252]

252
margina=
tum,
ramonti-
Filson
-
PENTANDRIA MONOGYNIA.: Solanum, _
Black-fpin'd Nightfhade. '
Nat. of Africa, "
Cult. 1731, by Mr. Philip Miller. Mill, dit. edit :
nm. 12.
Fi, June and July. | G. H. h.
23. 8. caule aculeato fruticofo, foliis cordatis repandis
margine albis. Syjt. veget. 226. 1' Herit. falan
tab. 11. Murray i in commentat. gotting. 1783. p. Us
tab. 4. Facqu. ics collect. v. pr» 50.
White Nightfhade.
Nat. of Africa. James Bruce, Efq.
Introd. 1775.
Fi, moft part of the Summer. G.Hb.
24. 8. caule aculeato fruticofo, foliis cordatis angulato-
lobatis integris fubinermibus fubtus tomentofiu-
lis. L' Herit. folan. tab. 9.
Solanum ftramonifolium. Facqu. ic, mifeell. 2« p. apf
Broad-leav'd Nightfhade.
Nat. of the Welt Indies.
~ Antrod. 1778, by Melfirs. Kennedy and Lee.
Fl. June—September. ; 5. bs

25. §. caule aculeato fruticofo, foliis cordatis integrisy
_corollis fubirregularibus, anthera ima proetlior
| LP' Herit. folan.

"Cynary Nightfhade,

Nat. of the Canary Iflands. Mr. Francis Maffote

Introd. 1779.

a! March and April. ' G. H. b-

26. S. caule aculeato fruticofo, aculeis acerofis, foliis CF ”
datis inermibus fubrebandis : tenellis aia 2
pulverulentis. Sp. pl. 269. Woolly