



<https://www.biodiversitylibrary.org/>

**Hortus Kewensis, or, A catalogue of the plants cultivated
in the Royal Botanic Garden at Kew**

London, Printed for George Nicol, Bookseller to his Majesty, 1789
<https://www.biodiversitylibrary.org/bibliography/4504>

v.3: <https://www.biodiversitylibrary.org/item/23434>

Page(s): Text, Title Page, Page 116

Holding Institution: Missouri Botanical Garden, Peter H. Raven Library
Sponsored by: Missouri Botanical Garden

Generated 16 April 2024 3:24 PM
<https://www.biodiversitylibrary.org/pdf4/1692155i00023434.pdf>

This page intentionally left blank.

G-73
K48
178
V.
HORTUS KEWENSIS;

O R, A
C A T A L O G U E
O F T H E
P L A N T S
CULTIVATED IN THE
ROYAL BOTANIC GARDEN AT KEW.

B Y W I L L I A M A I T O N,
GARDENER TO
H I S M A J E S T Y.

I N T H R E E V O L U M E S.

V O L. III.

DIADELPHIA — CRYPTOGAMIA.

L O N D O N:

PRINTED FOR GEORGE NICOL, BOOKSELLER
TO HIS MAJESTY, PALL MALL.

M.DCC.LXXXIX.

- pinnatus.* 8. S. pedunculis nudis, calycibus lœvibus, foliis pinnatis: pinnis linear-lanceolatis subdentatis.
Wing-leav'd Sow-thistle.
Nat. of Madeira. Mr. *Francis Masson.*
Introd. 1777.
Fl. G. H. ♂.
- radicatus.* 9. S. pedunculis nudis calycibusque glabris, caule subnudo, foliis radicalibus lyratis utrinque lœvibus: lobis triangulari-ovatis.
Long-rooted Sow-thistle.
Nat. of the Canary Islands. Mr. *Francis Masson.*
Introd. 1780.
Fl. July. G. H. ♂.
- florida-nus.* 10. S. pedunculis squamosis, foliis lyrato-hastatis. *Syst. veget.* 712.
Small-flower'd Sow-thistle.
Nat. of North America.
Cult. 1713. *Philosoph. transf.* n. 337. p. 182. n. 20.
Fl. July. H. ♂.
- sibiricus.* 11. S. pedunculis squamatis, foliis lanceolatis indivisis sessilibus. *Sp. pl.* 1118.
Willow-leav'd Sow-thistle.
Nat. of Sweden and Russia.
Cult. 1759, by Mr. Philip Miller.
Fl. July and August. H. ♀.
- tataricus.* 12. S. pedunculis nudis, foliis lanceolatis dentatis runcinatis. *Syst. veget.* 712.
Tartarian Sow-thistle.
Nat. of Siberia.
Introd. 1784, by William Pitcairn, M.D.
Fl. H. ♀.
13. S.

The following text is generated from uncorrected OCR or manual transcriptions.

[Begin Page: Text, Title Page]

Pk fe
HORTUS KEWENSIS;
ie eer
ora t A Ae Ot OU
OF ok ae
rE L A N ee S
CULTIVATED IN THE
ROYAL BOTANIC GARDEN AT KEW,
S2-PMTLLIAM AITON,
GARDENER TO
ELIS MAT BST Y.
IN THREE VOLUMES,
Ve dae
DIADELPHIA —CRYPTOGAMIA,
L O.N.D.O WN;
FRINTED FOR GEORGE NICOL, BOOKSELLER »
JO HIS MAJESTY, PALL MALL.
M.DCC,LXXXIX,
ee, ,

[Begin Page: Page 116]

116 SYNGENES. POLYG. £QUAL. Sonchus.
pinnatus. 8. S. pedunculis nudis, calycibus lavibus, foliis pinnatis ?
pinnis linear-lanceolatis fubdentatis.
Wing-leav'd Sow-thifte. :
Nat. of Madeira. Mr. Francis Maffon:
Introd. 1777. 'om
Fil. G. H. he, ©
radicatus. 9, 8. pedunculis nudis calycibufque glabris, caule fub-
nudo, foliis radicalibus lyratis utrinque levibus:
lobis triangulari-ovatis.
Long-rooted Sow-thifte.
Nat. of the Canary Iflands. Mr. Francis Ma af
Introd. 1780. ?
Fi. July. G. H. he
florida- 10. §. pedunculis {quamofis, foliis lyrato-haftatis. Sy/e
nus, veget. 712.
Small-flower'd Sow-thifte.,
Nat, of North America.
ie? Cult. 1713. Philofoph. tranf. n. 337. p. 182. 2. 20.
Fi, July. H. φ-
Sibivicus. 11.8. pedunculis fquamatis, foliis lanceolatis indivifis-
fefilibus. Sp. pi. 1118.
Willow-leav'd Sow-thifte.
Nat. of Sweden and Ruffia. -
Cult. 1759, by Mr. Philip Miller. z
Fi, July and Auguft, HY.
tataricus. 2. §. pedunculis nudis, foliis lanceolatis dentatis runci-

a eee, OYE. webed. TID,
'Tartarian Sow-thiffile.
Nat. of Siberia.
Introd, 1784, by William si M, D. .